

ATTACHMENTS

5015 Series Tractors Standard / High Crop

Issue 09/2005 Region I and II



John Deere Werke Mannheim



JOHN DEERE

Genuine Parts and Service

ATTACHMENTS - FACTORY AND FIELD INSTALLED

A short description and recommendation of some of the various factory and field installations is given. This is done to help the sales person to recommend the best combination of equipment to the customer.

Please note that the information, codes bundle numbers are given for reference only, the current price list must be the only official ordering document.

Where factory installation codes or field installation bundle numbers were not available, they will be made available as soon as possible.

1 HYDRAULICS

SELECTIVE CONTROL VALVES - SCV

5015 Series tractors can be equipped with versatile spool-type selective control valves.

These multi-function, standard remote valves ensure maximum productivity and efficiency.



Code	Bundle	Description
	ER067598	Field Installation Kit double-acting SCV at Position 3 with FLOAT

Models: 5215 - 5515 Standard and 5515 HighCrop

Code	Bundle	Description
	ER067596	Field Installation Kit double-acting / single-acting SCV at Position 2 (switch over valve)

Models: 5215 - 5515 Standard and 5515 HighCrop

Code	Bundle	Description
	ER067597	Field Installation Kit double-acting SCV at Position 2 with FLOAT

Models: 5215 - 5515 Standard and 5515 HighCrop

2 ELECTRICAL - ELECTRONICAL COMPONENTS


BEACON LIGHTS

A pre-wired flashing beacon socket is installed on the 5015 Series to comply local regulations.



Code	Bundle	Description
9297	ER067625	Beacon Light Field Installation Kit for 2-post ROPS

Models : 5215 - 5515 Standard



Code	Bundle	Description
9295	ER067618	Beacon Light Field Installation Kit for cab

Models: cab only: 5215 - 5515 Standard and 5515 HighCrop



Code	Bundle	Description
9290	ER067624	Beacon Light Field Installation Kit for 4-post ROPS

Models : 5215 - 5515 Standard

3 MISCELLANEOUS

3.1 OPERATOR'S STATION

Mirrors


The Standard external mirrors offer fixed length arms with manually adjustable pointing.

All tractors with open operator station feature a left-hand side Standard mirror as base equipment. An optional second mirror can be installed.



Code	Bundle	Description
9505	ER067623	2nd mirror on the RH side of 2-post ROPS

Models: 5215 - 5515 Standard



Code	Bundle	Description
9500	ER066412	2nd mirror on the RH side of 4-post ROPS

Models: 5215 - 5515 Standard and 5515 HighCrop

3-point hitch Mechanical Remote Control


A 3-point hitch remote control is conveniently mounted on the right rear fender, giving the operator a full control of the rockshaft from either the inside or outside of the tractor.



Code	Bundle	Description
9610	ER067619	Mechanical Remote Control for 3-point hitch

Models: 5215 - 5515 Standard and 5515 HighCrop

Sun Roof




Code	Bundle	Description
	ER066409	Sun roof for 4-post ROPS

Models: 5215 - 5515 Standard and 5515 HighCrop

Note: tractor has to be equipped with a 4-post ROPS

Seat Belt

Seat belt is available for all Standard and HighCrop tractors and fits on all type of seats (for cab and open operator's station).



Code	Bundle	Description
9157	ER067560	Seat Belt Mounting Kit

Models: 5215 - 5515 Standard and 5515 HighCrop

Note: Seat Belt Mounting Kit equipped with seats:

- ER191861
- ER192676
- ER191862
- ER192675

Active Carbon Filtration System

For the 5015 Series is an active carbon filtration system available. This option minimizes the health risk when spraying or dusting crops with hazardous materials. The twin air filters are located on both sides of the cab roof, away from the dust areas created by the rear wheels.

Thumbscrews hold in place both filters and can be easily removed for cleaning from the outside of the cab without the need of tools.

Code	Bundle	Description
	ER200791	Carbon Activated cab filters

Models: 5215 - 5515 Standard and 5515 HighCrop

3.2 WEIGHTS



Quick-tatch weights

Code	Bundle	Description
	AL71258	Set of 20 quick-tatch weights, 50 kg each

Models: 5215 - 5515 Standard and 5515 HighCrop

Note: includes 10 x 50 kg left (L38449) and 10 x 50 kg right (L38450)


Front weight stop kit

Code	Bundle	Description
	AL119964	Front weight stop kit, 2 x 50 kg

Models: 5215 - 5515 Standard and 5515 HighCrop


Mounting kits

For 6, 8, 10 quick-tatch weights



Code	Bundle	Description
	AL119967	Mounting parts for 6, 8, 10 quick-tatch weights

Models: 5215 - 5515 Standard and 5515 HighCrop



Code	Bundle	Description
9210	ER066408	Front Fenders

Models: 5215 - 5515 Standard

Note: only for tractors with 2WD


3.3 CHASSIS PARTS

Front Fenders for 2WD tractors

Bad weather conditions and heavy duty applications often result in dirty windows, soiled operator's platform and steps. A solution to improve such working conditions are front fenders which protect your tractor against mud and dirt.



Front Fenders for 4WD tractors




Code	Bundle	Description
	ER066472	Front Fenders

Models: 5215 - 5515 Standard and 5515 HighCrop

Note: only for tractors with 4WD

Turnable Front Fenders for 4WD tractors

John Deere offers turnable front fenders to protect against dirt without impacting your steering angle. These fenders stop at the frame and turn while the tires proceed moving until the maximum steering angle is reached. The turning circle is similar to tractors without fenders. The kit include the left-hand and right-hand fenders as well as all needed mounting parts and is easy to install in the field.




Code	Bundle	Description
	ER067610	Turnable Front Fenders

Models: 5215 - 5515 Standard

Note: only for tractors with 4WD

Rear Fender Extensions

These fender extensions helps to keep doors, windows and other exterior areas of the cab clean.




Code	Bundle	Description
9100	ER067608	Rear Fender Extensions

Models: 5215 - 5515 Standard and 5515 HighCrop

Note: for left-hand and right-hand side

Chock Block



Code	Bundle	Description
9215	ER066414	Chock Block

Models: 5215 - 5515 Standard and 5515 HighCrop

Note: for additional safety, particular in hilly conditions

3.4 BRAKES

Hydraulic trailer brake valve

The field kits below permit the tractors to be retro-fitted with an hydraulic trailer brake valve.



Code	Bundle	Description
	ER067599	Hydraulic trailer brake valve, EEC

Models: 5215 - 5515 Standard and 5515 HighCrop

Note: not for Italy


Code	Bundle	Description
	ER067630	Hydraulic trailer brake valve, EEC (ITALY)

Models: 5215 - 5515 Standard and 5515 HighCrop

Note: for Italy only

3.5 HITCHES AND ASSOCIATED EQUIPMENT

Wagon hitches




Code	Bundle	Description
	ER196453	Wagon hitch, CUNA D2

Models: 5215 - 5515 Standard and 5515 HighCrop

*Note: please order in addition if required:
ER040575 (pin fastener)*

Piton Fix



Code	Bundle	Description
	ER196457	Piton Fix

Models: 5215 - 5515 Standard

3.6 STORAGE

An external tool box for Standard and HighCrop versions is located on the right-hand side in front of the platform.

It has the capacity to hold tools and a selection of linkage balls, hitch pins and linchpins for implement attachment.



Code	Bundle	Description
	ER067617	Tool box

Models: 5215 - 5515 Standard and 5515 HighCrop

